

Patient Information

Advice for Patients

Following

Minor Eye Surgery

Your eye / eyelid may feel painful for a few days. You should take your normal painkillers if required. Avoid products containing aspirin. If your doctor has prescribed Ibuprofen in the past, you may take this.

If you experience bruising around the eye, this should fade gradually over the next few weeks.

If you have an eye pad, this may be gently removed the next morning. Your eye pad may be slightly bloodstained, but this is nothing to worry about.

You may clean your eye in the morning with cool boiled water and a small piece of cotton wool or lint. Close your eye, and then gently wipe from the inner corner to the outer corner of the eye, using a fresh piece of cotton wool or lint each time and for each eye. You may see stitches on the lid skin. These will be removed at a suitable time on your follow-up appointment. Not all stitches need to be removed, as they are designed to dissolve slowly.

Continue to use your eye drops or ointment at home as prescribed.

What if I have any problems or questions after reading this leaflet?

Please contact the **Urgent Referral Clinic** team at Russells Hall Hospital Eye Clinic on **01384 456111 ext. 3633** (9am to 4.30pm, Monday to Friday).

Eye emergency, out of hours

In case of an eye emergency after the closing hours of the Eye Clinic at Russells Hall (including weekends and bank holidays), please contact:

Birmingham and Midland Eye Centre on 0121 507 4440

The doctor on call is usually based at the Eye Centre, City Hospital, Dudley Road, Birmingham. They may need to call you back, and if necessary, they will arrange for you to visit them.

Note: the information in this booklet is provided for information only. The information found is **not** a substitute for professional medical advice or care by a qualified doctor or other health care professional. **Always** check with your doctor if you have any concerns about your condition or treatment. This is only indicative and general information for the procedure. Individual experiences may vary and all the points may not apply to all patients at all times. Please discuss your individual circumstances with your eye doctor.

Author: Mr S Shafquat FRCS FRCOphth
Consultant ophthalmologist
Retina lead

This leaflet can be downloaded or printed from
<http://dgft.nhs.uk/services-and-wards/ophthalmology/>

