

Fitting a freestanding toilet frame

Therapy Department

Patient Information Leaflet

Instructions

1. If you have a pedestal mat or other loose rugs or mats around the toilet, please remove them.
2. Place the toilet surround centrally around the toilet so that the top horizontal bar at the front of frame is against the porcelain toilet bowl.
3. The toilet equipment has been adjusted to the correct height before issue; therefore, please do not adjust the height setting.
4. Ensure that all four feet of the toilet surround are touching the floor and are level.



If you have any concerns about the equipment, please contact the Occupational Therapy Department on 01384 244185. Leave a message on the answer machine including your name and telephone number and we will return your call as soon as we can.

This leaflet can be downloaded or printed from:

<http://dgft.nhs.uk/services-and-wards/occupational-therapy/>

This leaflet can be made available in large print, audio version and in other languages, please call 0800 073 0510.

للحصول على هذه النشرة بحجم أكبر، وعلى شكل إصدار صوتي و بلغات أخرى، الرجاء الاتصال بالرقم 08000730510.

此宣传单可提供大字版本、音频版本和其它语言版本，请拨打电话：0800 073 0510。

Ulotka dostępna jest również w dużym druku, wersji audio lub w innym języku. W tym celu zadzwoń pod numer 0800 073 0510.

ਇਹ ਪਰਚਾ ਵੱਡੇ ਅੱਖਰਾਂ, ਬੋਲ ਕੇ ਰੀਕਾਰਡ ਕੀਤਾ ਹੋਇਆ ਅਤੇ ਦੂਸਰੀਆਂ ਭਾਸ਼ਾਵਾਂ ਵਿਚ ਵੀ ਪ੍ਰਾਪਤ ਹੋ ਸਕਦਾ ਹੈ, 0800 073 0510 ਤੇ ਫੋਨ ਕਰੋ ਜੀ।

Aceasta broșura poate fi pusă la dispoziție tipărită cu caractere mari, versiune audio sau în alte limbi, pentru acest lucru vă rugăm sunați la 0800 073 0510.

یہ کتابچہ آپ کو بڑے حروف کی لکھائی، سمعی صورت اور دیگر زبانوں میں مہیا کیا جا سکتا ہے۔ برائے مہربانی فون نمبر 08000730510 پر رابطہ کریں۔